
March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

HILDA LAHTI

GYM

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248285 | 28 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 1.0 ± 0.3 | 2019-03-18 |
| 7248286 | 29 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.8 ± 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**HILDA LAHTI
JR. HIGH**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248266 | 10 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248326 | 11 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.8 ± 0.3 | 2019-03-18 |
| 7248267 | 11 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248268 | 12 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248269 | 13 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248270 | 14 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 1.2 ± 0.3 | 2019-03-18 |
| 7248271 | 15 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 2.8 ± 0.4 | 2019-03-18 |
| 7248272 | 16 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248273 | 17 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.8 ± 0.3 | 2019-03-18 |
| 7248327 | 17 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.5 ± 0.3 | 2019-03-18 |
| 7248275 | 18 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248276 | 19 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**HILDA LAHTI
LIBRARY**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248281 | 24 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.7 ± 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**HILDA LAHTI
MULTI**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248287 | 30 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.5 ± 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
HILDA LAHTI
OFFICE

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248283 | 26 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

HILDA LAHTI

OT

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248288 | 31 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
HILDA LAHTI
PLAY SHED

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248334 | | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

HILDA LAHTI

PORTABLE

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248277 | 20 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248278 | 21 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248279 | 22 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248280 | 23 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**HILDA LAHTI
PRIMARY**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248256 | 1 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.6 ± 0.3 | 2019-03-18 |
| 7248324 | 1 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.7 ± 0.3 | 2019-03-18 |
| 7248257 | 2 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248258 | 3 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.7 ± 0.3 | 2019-03-18 |
| 7248260 | 4 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248261 | 5 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 1.5 ± 0.4 | 2019-03-18 |
| 7248325 | 6 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248262 | 6 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248263 | 7 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 1.7 ± 0.4 | 2019-03-18 |
| 7248264 | 8 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.6 ± 0.3 | 2019-03-18 |
| 7248265 | 9 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 0.6 ± 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**HILDA LAHTI
STAFF ROOM**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248282 | 25 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 1.0 ± 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

HILDA LAHTI

TITLE 1

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248284 | 27 | 2019-03-12 @ 4:00 pm | 2019-03-15 @ 9:00 am | 2.3 ± 0.4 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:**KNAPPA HS
MAIN**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|---------|----------------|----------------------|----------------------|-----------|------------|
| 7248291 | 1 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248300 | 10 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248301 | 11 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248302 | 12 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.6 ± 0.3 | 2019-03-18 |
| 7248292 | 2 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248293 | 3 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248294 | 4 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248295 | 5 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248296 | 6 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.5 ± 0.3 | 2019-03-18 |
| 7248297 | 7 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248298 | 8 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248329 | 8 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.5 ± 0.3 | 2019-03-18 |
| 7248299 | 9 | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248303 | AD | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.5 ± 0.3 | 2019-03-18 |
| 7248331 | AUX GYM | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248333 | BAND ROOM | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248314 | BLR | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.6 ± 0.3 | 2019-03-18 |
| 7248308 | COMPUTER LAB | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248306 | COUNCILOR | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248332 | DRAMA | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248316 | GLR | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 1.4 ± 0.4 | 2019-03-18 |
| 7248312 | GYM | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248313 | GYM | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248310 | LIBRARY | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248305 | OFFICE | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248328 | PRINCIPAL | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.6 ± 0.3 | 2019-03-18 |
| 7248304 | PRINCIPAL | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.7 ± 0.3 | 2019-03-18 |
| 7248309 | STAFF ROOM | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.6 ± 0.3 | 2019-03-18 |
| 7248330 | STUDENT LOUNGE | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248315 | WEIGHT RM | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | 0.8 ± 0.3 | 2019-03-18 |

March 18, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**KNAPPA HS
SHOP**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7248320 | COMPUTER LAB | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248321 | FORESTRY | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248322 | METAL | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |
| 7248323 | WOOD | 2019-03-12 @ 5:00 pm | 2019-03-15 @ 9:00 am | < 0.3 | 2019-03-18 |

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498