



# Mobile County PUBLIC SCHOOLS

1 Magnum Pass | Mobile, Alabama 36618 | 251-221-4000 | www.mcpss.com

**BOARD OF SCHOOL COMMISSIONERS**  
William C. Foster, Ed.D., President - District 5  
L. Douglas Harwell, Jr., Vice President - District 1  
Don Stringfellow - District 2  
Reginald A. Crenshaw, Ph.D. - District 3  
Robert E. Battles, Sr. - District 4

**SUPERINTENDENT Chresal D. Threadgill**

## Annual AHERA Notification

**January 3, 2018**

This notification is presented to school staff, parents/guardians, parent, teacher and employee organizations, vendors, and temporary workers and/or contractors, pursuant to requirements of the Asbestos Hazard Emergency Response Act (AHERA). Mobile County Public Schools are AHERA Regulated Facilities.

In 1986 Congress passed AHERA. As a result of this Act, MCPSS facilities were inspected for asbestos containing building materials and their conditions assessed. The materials are periodically re-inspected and re-assessed pursuant to AHERA.

Pursuant to Federal Environmental Protection Agency (EPA) mandate, as required by 40 CFR 763.84(c) and 40 CFR 763.94(g)(4), this letter is to acknowledge and notify you of the MCPSS AHERA asbestos Management Plan, which documents all performed or planned asbestos related inspections, response actions and post-response action activities, including periodic re-inspection and surveillance activities that are planned or in progress, within the school district.

All asbestos information and the specific Management Plan for each school is available for inspection in the front office of that school and at the MCPSS Central Office Facilities Department. If you have any questions, please direct them to the MCPSS Asbestos Coordinator Contact Person (Currently Michael Griswold – 251-221-4650).

**Sincerely,**

**Chresal D. Threadgill**  
**Superintendent**  
**Mobile County Public Schools**