NEW MILFORD BOARD OF EDUCATION

New Milford Public Schools 50 East Street New Milford, Connecticut 06776

MEETING NOTICE

FACILITIES SUB-COMMITTEE

DATE:

March 1, 2016

TIME:

6:45 P.M.

PLACE:

Lillis Administration Building—Room 2

AGENDA

New Milford Public Schools Mission Statement

The mission of the New Milford Public Schools, a collaborative partnership of students, educators, family, and community, is to prepare each and every student to compete and excel in an ever-changing world, embrace challenges with vigor, respect and appreciate the worth of every human being, and contribute to society by providing effective instruction and dynamic curriculum, offering a wide range of valuable experiences, and inspiring students to pursue their dreams and aspirations.

1. Call to Order

2. Public Comment

An individual may address the Board concerning any item on the agenda for the meeting subject to the following provisions:

- A. A three-minute time limit may be allocated to each speaker with a maximum of twenty minutes being set aside per meeting. The Board may, by a majority vote, cancel or adjust these time limits.
- B. If a member of the public comments about the performance of an employee or a Board member. whether positive, negative, or neutral, and whether named or not, the Board shall not respond to such comments unless the topic is an explicit item on the agenda and the employee or the Board member has been provided with the requisite notice and due process required by law. Similarly, in accordance with federal law pertaining to student confidentiality, the Board shall not respond to or otherwise discuss any comments that might be made pertaining to students.

3. Discussion and Possible Action

- A. Eagle Scout/Buddy Bench Project
- B. SNIS Fields Proposed Agreement
- C. Turf Fields Update
- D. PCB Testing Update
- E. SMS Skylight Update

4. Items of Information

- A. SNIS Catwalk Update
- B. Overtime Update

5. Public Comment

An individual may address the Board concerning any item on the agenda for the meeting subject to the following provisions:

- A. A three-minute time limit may be allocated to each speaker with a maximum of twenty minutes being set aside per meeting. The Board may, by a majority vote, cancel or adjust these time limits.
- B. If a member of the public comments about the performance of an employee or a Board member, whether positive, negative, or neutral, and whether named or not, the Board shall not respond to such comments unless the topic is an explicit item on the agenda and the employee or the Board member has been provided with the requisite notice and due process required by law. Similarly, in accordance with federal law pertaining to student confidentiality, the Board shall not respond to or otherwise discuss any comments that might be made pertaining to students.

6. Adjourn

Sub-Committee Members: Robert Coppola, Chairperson Angela C. Chastain

Bill Dahl

David A. Lawson

Alternates: Brian McCauley

J. T. Schemm

Buddy Bench












Benches from Ben Marano's Eagle Scout Project

Buddy Bench






Storage Shed



Basic Design (from

http://www.startwoodworking.com/sites/default/files/uploads/taunton/files/trashbarrelshed.pdf) extended to 46" and 23" deep

With the shelf elements from:



http://canadianhomeworkshop.com/2107/project-plans/hide-your-bins-in-a-handy-trash-centre#projecttabs

Storage Shed

TOOLS&MATERIALS :: TRASH BARREL SHED DIAGRAM What to Buy Fixed roof panel 1 2×4 PRESSURE-TREATED LUMBER. The non-toxic treatment outweighs the slight price premium. You'll need eight 8-ft. pieces to satisfy the Lumber List (below). 2 T-111 SIDING. Sold in 4-ft. by 8-ft. panels; try to match or complement your home's existing exterior finishes. You'll Side need three panels for the project. Bevel-cut top 3 SHEATHING PANELS. Buy one 4-ft. by 8-ft. sheet of 5/n-in. exterior-grade plywood for the roof lid and doors. 4 FASTENERS AND ADHESIVE. You'll need small boxes of 10d common nails, 2-in, wood or deck screws, and roofing nails plus a dozen 2-in. lag screws. You'll need a tube or two of waterproof construction adhesive, as well. 5 PRIMER AND PAINT. Use an exterior-grade latex primer and paint that matches or complements the color of your home's exterior finish. A quart of primer and a gallon of paint should be more than enough for two coats. Horizontal 6 ROOFING. Use materials compatible with your home's roof materials; you'll need enough for a 4-ft. by 3-ft. surface. Get a Back vertical metal drip edge, too. Front vertical 7 HARDWARE. You'll need six 31/2-in.T-hinges, a pair of door pulls, and a latch or hasp for the doors. Buy four dozen 3/4-in. flat-head bolts, nuts, and washers and a dozen Lumber list Qty. Desc. flat-head, 2-in. machine Back vertical members 2 in. × 4 in. × 54 in. (at their highest point; screws that are matched to the mark and cut 30" angles at the top-see Step 1, p. 70). diameter of the Front vertical members 2 in. × 4 in. × 42 in. (cut 30" angles at top) hinges' holes. Make 2 in. × 4 in. × 17 in. Horizontal members sure all the hardware Rafters 2 in. × 4 in. × 27 in. (mark and cut each end is galvanized. at parallel 40" angles-see Step 1, p. 70). Top crossmembers 2 in. × 4 in. × 431/4 in. (bevel top edge 30") 2 in x 4 in x 431/4 in Crossmamhars Corner braces 2 in. × 4 in. × 18 in. (cut 45" angles on each end) 24 in. × 60 in. T-111 plywood (cut to fit) Side panels Back panel 48 in. ×54 in. T-111 plywood (cut to fit

http://www.startwoodworking.com/sites/default/files/uploads/taunton/files/trashbarrelshed.pdf

exact dimensions before fastening to the