

Rocky Hill Public School's is committed to providing a website that is accessible to the widest possible audience, regardless of technology or ability. This website endeavors to comply with best practices and standards defined by Section 508 of the U.S. Rehabilitation Act. If you are having difficulties accessing this form and would like additional assistance or have accessibility concerns, please contact Katie DeLoureiro at 860-258-7701 ext. 1163. We are always striving to improve the accessibility standards of our website.



# STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH

## IMMUNIZATION REQUIREMENTS FOR ENROLLED STUDENTS IN CONNECTICUT SCHOOLS 2019-2020 SCHOOL YEAR



### PRESCHOOL

DTaP:	4 doses (by 18 months for programs with children 18 months of age)
Polio:	3 doses (by 18 months for programs with children 18 months of age)
MMR:	1 dose on or after 1 <sup>st</sup> birthday
Hep B:	3 doses, last one on or after 24 weeks of age
Varicella:	1 dose on or after 1 <sup>st</sup> birthday or verification of disease
Hib:	1 dose on or after 1 <sup>st</sup> birthday
Pneumococcal:	1 dose on or after 1 <sup>st</sup> birthday
Influenza:	1 dose administered each year between August 1 <sup>st</sup> -December 31 <sup>st</sup> (2 doses separated by at least 28 days required for those receiving flu for the first time)
Hepatitis A:	2 doses given six calendar months apart, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday

### KINDERGARTEN

DTaP:	At least 4 doses. The last dose must be given on or after 4 <sup>th</sup> birthday
Polio:	At least 3 doses. The last dose must be given on or after 4 <sup>th</sup> birthday
MMR:	2 doses separated by at least 28 days, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday
Hep B:	3 doses, last dose on or after 24 weeks of age
Varicella:	2 doses separated by at least 3 months-1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday; or verification of disease
Hib:	1 dose on or after 1 <sup>st</sup> birthday for children less than 5 years old
Pneumococcal:	1 dose on or after 1 <sup>st</sup> birthday for children less than 5 years old
Hepatitis A:	2 doses given six calendar months apart, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday

### GRADES 1-6

DTaP/Td:	At least 4 doses. The last dose must be given on or after 4 <sup>th</sup> birthday. Students who start the series at age 7 or older only need a total of 3 doses.
Polio:	At least 3 doses. The last dose must be given on or after 4 <sup>th</sup> birthday
MMR:	2 doses separated by at least 28 days, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday
Hep B:	3 doses, last dose on or after 24 weeks of age
Varicella:	2 doses separated by at least 3 months-1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday; or verification of disease
Hepatitis A:	2 doses given six calendar months apart, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday

### GRADE 7

Tdap/Td:	1 dose for students who have completed their primary DTaP series. Students who start the series at age 7 or older only need a total of 3 doses of tetanus-diphtheria containing vaccine, one of which must be Tdap
Polio:	At least 3 doses. The last dose must be given on or after 4 <sup>th</sup> birthday
MMR:	2 doses separated by at least 28 days, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday
Meningococcal:	1 dose
Hep B:	3 doses, last dose on or after 24 weeks of age
Varicella:	2 doses separated by at least 3 months-1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday; or verification of disease
Hepatitis A:	2 doses given six calendar months apart, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday

GRADES 8-12

Tdap/Td:	1 dose for students who have completed their primary DTaP series. Students who start the series at age 7 or older only need a total of 3 doses of tetanus-diphtheria containing vaccine, one of which must be Tdap
Polio:	At least 3 doses. The last dose must be given on or after 4 <sup>th</sup> birthday
MMR:	2 doses separated by at least 28 days, 1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday
Meningococcal:	1 dose
Hep B:	3 doses, last dose on or after 24 weeks of age
Varicella:	2 doses separated by at least 3 months-1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday; or verification of disease

- DTaP vaccine is not administered on or after the 7<sup>th</sup> birthday.
- Tdap can be given in lieu of Td vaccine for children 7 years and older unless contraindicated.
- Hib is required for all Pre-K and K students less than 5 years of age.
- Pneumococcal Conjugate is required for all Pre-K and K students less than 5 years of age.
- Hep A requirement for school year 2019-2020 applies to all Pre-K through 7<sup>th</sup> graders born 1/1/07 or later.
- Hep B requirement for school year 2019-2020 applies to all students in grades K-12.  
Spacing intervals for a valid Hep B series: at least 4 weeks between doses 1 and 2; 8 weeks between doses 2 and 3; at least 16 weeks between doses 1 and 3; dose 3 must be administered at 24 weeks of age or later.
- Second MMR for school year 2019-2020 applies to all students in grades K-12.
- Meningococcal Conjugate requirement for school year 2019-20 applies to all students in grades 7-12
- Tdap requirement for school year 2019-2020 applies to all students in grades 7-12
- If two live virus vaccines (MMR, Varicella, MMRV, Intra-nasal Influenza) are not administered on the same day, they must be separated by at least 28 days (there is no 4 day grace period for live virus vaccines). If they are not separated by at least 28 days, the vaccine administered second must be repeated.
- Lab confirmation of immunity is **only** acceptable for Hep A, Hep B, Measles, Mumps, Rubella, and Varicella.
- **VERIFICATION OF VARICELLA DISEASE:** Confirmation in writing by a MD, PA, or APRN that the child has a previous history of disease, based on family or medical history.

For the full legal requirements for school entry visit:

<https://portal.ct.gov/DPH/Immunizations/Immunization--Laws-and-Regulations>

If you are unsure if a child is in compliance, please call the Immunization Program at (860) 509-7929.

**New Entrant Definition:**

\*New entrants are any students who are new to the school district, including **all** preschoolers and all students coming in from Connecticut private, parochial and charter schools located in the same or another community. **All pre-schoolers, as well as all students entering kindergarten**, including those repeating kindergarten, and those moving from any public or private pre-school program, even in the same school district, **are considered new entrants**. The one exception is students returning from private approved special education placements—they are not considered new entrants.

**Commonly Administered Vaccines:**

<u>Vaccine:</u>	<u>Brand Name:</u>	<u>Vaccine:</u>	<u>Brand Name:</u>
DTaP-IPV-Hib	Pentacel	MMRV	ProQuad
DTaP-HIB	TriHibit	PCV7	Pevnar
HIB-Hep B	Comvax	PCV13	Pevnar 13
DTaP-IPV-Hep B	Pediarix	DTaP-IPV	Kinrix, Quadracel
Hepatitis A	Havrix, Vaqta	Influenza	Fluzone, FluMist, Fluviron, Fluairix, FluLaval Flucelvax, Afluria