

Webster County School System

Print | Share

COVID-19 and Children – Frequently Asked Questions

Dear Colleagues,

CDC developed a list of ***Frequently Asked Questions*** regarding COVID-19 and children. The questions, answers, and resources are included below. - Garry

CDC: COVID-19 and Children – Frequently Asked Questions

What is the risk of my child becoming sick with COVID-19? Based on available evidence, children do not appear to be at higher risk for COVID-19 than adults. While some children and infants have been sick with COVID-19, adults make up most of the known cases to date. You can learn more about who is at higher risk for severe illness from COVID-19 at [People who are at higher risk for severe illness](#).

How can I protect my child from COVID-19 infection? You can encourage your child to help stop the spread of COVID-19 by teaching them to do the same things everyone should do to stay healthy.

- Avoid close contact with people who are sick.
- Stay home when you are sick, except to get medical care.
- Cover your coughs and sneezes with a tissue and throw the tissue in the trash.
- Wash your hands often with soap and water for at least 20 seconds, especially after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- If soap and water are not readily available, use an alcohol-based hand sanitizer with at least 60% alcohol. Always wash hands with soap and water if hands are visibly dirty.
- Clean and disinfect frequently touched surfaces and objects (e.g., tables, countertops, light switches, doorknobs, and cabinet handles).
- Launder items, including washable plush toys, as appropriate and in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water setting for the items and dry items completely. Dirty laundry from an ill person can be washed with other people's items.

You can find additional information on preventing COVID-19 at [Prevention for 2019 Novel Coronavirus](#) and at [Preventing COVID-19 Spread in Communities](#). Additional information on how COVID-19 is spread is available at [How COVID-19 Spreads](#). More information on [Children and Coronavirus Disease 2019 \(COVID-19\)](#) is available online.

Are the symptoms of COVID-19 different in children than in adults? No. The symptoms of COVID-19 are similar in children and adults. However, children with confirmed COVID-19 have generally presented with mild symptoms. Reported symptoms in children include

cold-like symptoms, such as fever, runny nose, and cough. Vomiting and diarrhea have also been reported. It's not known yet whether some children may be at higher risk for severe illness, for example, children with underlying medical conditions and special healthcare needs. There is much more to be learned about how the disease impacts children.

Should children wear masks? CDC recommends that everyone 2 years and older wear a cloth face covering that covers their nose and mouth when they are out in the community. Cloth face coverings should NOT be put on babies or children younger than 2 because of the danger of suffocation. Children younger than 2 years of age are listed as an exception as well as anyone who has trouble breathing or is unconscious, incapacitated, or otherwise unable to remove the face covering without assistance.

Wearing cloth face coverings is a public health measure people should take to reduce the spread of COVID-19 in addition to (not instead of) social distancing, frequent hand cleaning, and other everyday preventive actions. A cloth face covering is not intended to protect the wearer but may prevent the spread of virus from the wearer to others. This would be especially important if someone is infected but does not have symptoms.

How do I prepare my children in case of COVID-19 outbreak in our community? Outbreaks can be stressful for adults and children. Talk with your children about the outbreak, try to stay calm, and reassure them that they are safe. If appropriate, explain to them that most illness from COVID-19 seems to be mild. [Children respond differently to stressful situations than adults](#). CDC offers [resources](#) to help talk with children about COVID-19.

What steps should parents take to protect children during a community outbreak?

This is a new virus and we are still learning about it, but so far, there does not seem to be a lot of illness in children. Most illness, including serious illness, is happening in adults of working age and older adults. However, children do get the virus and become ill. Discourage children and teens from gathering in other public places while school is dismissed to help slow the spread of COVID-19 in the community.

Garry W. McGiboney, Ph.D

Deputy Superintendent – Office of School Safety and Climate

Georgia Department of Education

1954 Twin Towers East

205 Jesse Hill Jr. Drive, SE

Atlanta, GA 30334

Phone: 404.656-5669

Cell Phone: 678-637-1261

gmcgiboney@doe.k12.ga.us

www.gadoe.org